


Architonic.com; Material Research; 2005

## FLOORS

At your feet... Flooring influences our perception of a space like no other interior element. It can create an atmosphere of coldness, warmth or softness. walking on a floor lets us experience space in a direct and even physical way. Flooring materials are numerous and range from traditional wood and stone to modern high-tech textiles and plastics.




Woven Vinyl Carpet

A material that looks like woven rattan but is made out of durable vinyl. It is easy to clean, durable and suitable for use in most public areas such as hotels, restaurants, shops and offices. It can be used outdoors and indoors and is anti slippery, even when wet. The fire resistant flooring is available in rolls of 2m width or tiles 50 x 50cm.




Poured Stone

Cement based floor covering which has the character of a large scale area stone floor without joints. With a thickness of only 5 mm the floor can cope with permanent loads, it is resistant to chair rollers and its colours do not fade. The colours can be customized and mixed to create patterns and signs. The surface is oiled and gets a silky gloss look, which is water repellent.




Woven Steel

Metallic woven threads from stainless steel reflect the light. They are combined with an underlying layer of six different colours in the background. The shining carpet comes in a width of 2 metres, it is conductive and fire resistant.



#### Cork Tiles

Floor made from cork bark is a 100% natural product. Cork keeps its naturally matt shade with these floor tiles. The flooring can be treated with oil, wax or lacquer after it has been laid; colour shades like white or green are available. Cork tiles come with standard dimensions of 305 x 305 mm, 300 x 300 mm or 600 x 300 mm and a thickness of 4.00 mm, 4.80 mm or 6.00 mm. They are fire classified with B2 standard.




#### Bituminous Mastic Terrazzo

Ground bituminous mastic with a terrazzo look. Cure time is quite short – after 3 hours the material has already reached full mechanical strength and can be walked on. The floor is impact and water resistant. The material is not burning and insulating. The optical appearance can be customized by the mix of stones used.



#### Antique Wooden Parquet

Wood is treated by a special high temperature technology without using chemical substances. The wood looks like aged through the decades and the material gains increased dimension stability and durability by this process. The material is available in the form of boards, planks and squared timber and in different measures, qualities and types of wood. The measurements vary from 50 - 100 mm thickness, 40 - 200 mm width and 1000 - 4000 mm length.



#### Air-Cleaning Carpet

Carpet floor covering that converts and decomposes potentially harmful substances in the air such as formaldehyde, nicotine and unpleasant odours into uncritical air components like water steam and carbon dioxide. This process is based on the catalyst principle so it remains permanently effective and is not gradually used up over time.



### Modular Carpet Flooring

Flooring system consisting of interchangeable tiles. Each tile has adhesive dots on the back and can be easily installed or rearranged. The material is stain resistant. Tile shipping boxes are approximately 51 cm x 51 cm. Each box contains either 6 or 12 tiles. The tile boxes have the size of a pizza box and are delivered to your home. The tiles come in a wide variety of colors, styles, and textures. The layout and pattern of the floor can be changed according to the space or taste of the user.